Novella Brands Inc. 120 Midair Court Brampton, Ontario, L6T 5V1 Canada 905-790-0636

PRODUCT: Blaze Pro Ant Nest Destroyer Foam - 425 g (Reg. 32119)

SECTION 01: IDENTIFICATION

Manufacturer..... Empack Spraytech Inc.

Product Item Numbers..... P3-090424

Product Identity......24 hour emergency telephone number..... Blaze Pro Ant Nest Destroyer Foam - 425 g (Reg. 32119) CANUTEC: 1-613-996-6666.

Recommended Use..... Insecticide Spray.

SECTION 02: HAZARD IDENTIFICATION



Label Elements: Signal Word..... WARNING.

Hazard Classification:

Aerosols - Category 3. Gases Under Pressure - Liquefied Gas. Physical Hazards.....

Skin Irritation - Category 3. Eye Irritation - Category 2A. Skin Sensitization - Category 1. H229:Pressurised container: May burst if heated (3). H280:Contains gas under pressure; Health Hazards..... Hazard Statement.....

may explode if heated (L). H316: Causes mild skin irritation. H319: Causes serious eye

irritation. H317:May cause an allergic skin reaction. Environmental Hazards..... Not Classified.

Precautionary Statements: Prevention.... P210:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking. P251:Do not pierce or burn, even after use. P264+P265: Wash hands thoroughly after handling. Do not touch eyes. P280:Wear protective gloves. P280:Wear eye protection/face protection. P261:Avoid breathing dust/fume/gas/mist/vapours/spray.

CODE: P3-090424

P272:Contaminated work clothing must not be allowed out of the workplace.

P302+P352:IF ON SKIN: Wash with plenty of water. P333+P317: If skin irritation or rash occurs: Get medical help. P362+P364:Take off contaminated clothing and wash it before Response..... reuse. P321:For specific treatment see section 4 on this SDS. P305+P351+P338:IF IN

EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P317:If eye irritation persists: Get medical help. P410+P412:Protect from sunlight. Do not expose to temperatures exceeding 50°C /122°F.

P403:Store in a well ventilated place.

P501:Dispose of contents/container in accordance with local, regional, national, and/or Disposal.....

international regulations.

Hazard(s) not otherwise classified (HNOC) None Known.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS					
CHEMICAL NAME AND SYNONYMS	CAS#	WT. %			
Ethyl alcohol	64-17-5	10-30			
Isobutane	75-28-5	5-10			
Distillates (petroleum), Hydrotreated Light	64742-47-8	1-5			
Propane	74-98-6	1-5			
N-Octyl Bicycloheptene Dicarboximide	113-48-4	0.1-1			
Permethrin	52645-53-1	0.1-1			
Cymbopogon Flexuosus Oil	8007-02-1	0.1-1			
Fragrance	Mix	0.1-1			
Pyrethrins	8003-34-7	<0.1			

PRODUCT: Blaze Pro Ant Nest Destroyer Foam - 425 g (Reg. 32119)

SECTION 04: FIRST-AID MEASURES

No specific effects have been reported. Supply fresh air if any irritations persists. Inhalation..... Eye Contact..... Check for and remove contact lenses. Immediately flush eyes with water for a minimum of 15 minutes keeping eyelids open. Consult a doctor if any irritation occurs. Get medical attention if irritation persists. Skin Contact..... Remove contaminated clothing. Launder clothing before reuse. Wash thoroughly with soap and lukewarm water. Do not induce vomiting, get medical attention. Rinse mouth. Obtain medical advice. Most important symptoms/effects, acute ... Causes serious eye irritation. and delayed Indication of immediate medical attention Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be and special treatment needed delayed.

SECTION 05: FIRE-FIGHTING MEASURES

Dry chemical powder. Carbon dioxide. Foam, water spray or fog.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures Methods and Materials for Containment .. and Cleaning Up

Suitable Extinguishing Media.....

Ensure adequate ventilation; avoid formation of dust. Wear protective equipment and keep unprotected persons away. Use respiratory protection against the effects of dust. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13). Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

CODE: P3-090424

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling.....

Wash thoroughly after handling . Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Contents under pressure. Avoid contact with eyes. Avoid breathing vapours or spray mists of this product. Use with adequate ventilation. Keep away from heat, sparks, and open flames.

Conditions for Safe Storage including any Incompatibilities

Store in a cool, dry, well-ventilated area away from incompatible substances. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Store away from incompatible materials (see Section 10). Store a temperature between 5°C (41°F) and 50°C(122°F).

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	H TLV STEL	OSH/ PEL	A PEL STEL	NIOSH REL
Ethyl alcohol	1000 ppm	1000 ppm	1000 ppm	Not available	1000 ppm
Isobutane	Not available	1,000 ppm	Not available	Not available	Not available
Distillates (petroleum), Hydrotreated Light	200 mg/m³ (as total hydrocarbon vapour)	Not available	Not available	Not available	Not available
Propane	Not available	Not available	1,000 ppm	Not available	Not available
N-Octyl Bicycloheptene Dicarboximide	Not available	Not available	Not available	Not available	Not available
Permethrin	Not available	Not available	Not available	Not available	Not available
Fragrance	Not established	Not established	Not established	Not established	Not established
Pyrethrins	5 mg/m3	Not available	5 mg/m3	Not available	Not available

CODE: P3-090424

PRODUCT: Blaze Pro Ant Nest Destroyer Foam - 425 g (Reg. 32119)

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

Local exhaust ventilation required to maintain the point of use below the Threshold Limit Appropriate Engineering Controls..... Value if unprotected personnel are involved. Ground all equipment and cylinders before Individual Protection Measures: Eye/Face Protection..... Prevent eye contact, wear safety glasses in the event that eye contact is possible. Skin Protection..... Not normally required. Respiratory Protection..... Not required on a short-term basis or if exhaust ventilation is provided. Use approved NIOSH respirators for emergencies. Thermal Hazards..... None Known. General Hygiene Considerations..... When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking.

Routinely wash work clothing and protective equipment prior to use.

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical State..... Aerosol. Physical Appearance..... Jet foam. Odour..... Fragrance. Odour Threshold (ppm)..... Not available. Not available. -115. (Ethanol). Evaporation Rate (n-Butyl Acetate = 1)..... Not available. 9-10. pH..... Solubility in water..... Soluble in water. Vapour Pressure (psig)..... Not available. 0.990-1.010. 460°C (860°F). (Propellant). Flash Point (°C), Method..... -82.8. (Closed Cup). (Propellant). Aerosol Flame Projection..... 0 cm. Flashback..... No. Lower Flammable Limit (% Vol)..... Upper Flammable Limit (% Vol)..... 1.8. (Propellant). 8.8. (Propellant). VOC Content..... Greater than 15%.

SECTION 10: STABILITY AND REACTIVITY

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Ethyl alcohol	31,623 ppm (Rat - 4 hrs)	7,060 mg/kg (Oral - Rat); 20,000 mg/kg (Dermal - Rabbit)
Isobutane	658 mg/L (Rat - 4 hrs)	Not available
Distillates (petroleum), Hydrotreated Light	>5.2 mg/L (Rat - 4hrs)	>5,000 mg/kg (Oral - Rat); >2,000 mg/kg (Dermal - Rabbit)
Propane	658 mg/L (Rat - 4 hrs)	Not available
N-Octyl Bicycloheptene Dicarboximide	>4.08 mg/L (Rat - 4hrs)	5,000 mg/kg (Oral - Rat); 2,000 mg/kg (Dermal - Rabbit)
Permethrin	Not available	1,000 mg/kg (Oral - Rat); >2,000 mg/kg (Dermal - Rabbit)
Fragrance	No data	No data
Pyrethrins	>2.03 mg/L (Rat - 4 hrs)	>2,000 mg/kg (Oral - Rat); >5,000 mg/kg (Dermal - Rabbit)
Information on Likely Routes of Exposure: Routes of entry - Inhalation		

PRODUCT: Blaze Pro Ant Nest Destroyer Foam - 425 g (Reg. 32119)

SECTION 11: TOXICOLOGICAL INFORMATION

Symptoms Related to the Physical, Irritant effects. Chemical and Toxicological Characteristics No known significant effects. Causes mild skin irritation. Acute Toxicity... Acute Toxicity.....Skin Corrosion/Irritation..... Serious Eye Damage/Eye Irritation...... Respiratory or Skin Sensitization..... Causes serious eye irritation. May cause an allergic skin reaction. No information is available, and no adverse effects are expected. Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP. Germ Cell Mutagenicity..... Carcinogenicity..... Reproductive Toxicity..... Contains no ingredient listed as toxic to reproduction. STOT - Single Exposure..... Not classified. Not classified.

STOT - Repeated Exposure..... Aspiration Hazard..... Not classified.

Chronic Effects..... No long term chronic effects are known or anticipated.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity..... May be dangerous for the environment. No data is available on the product itself. Should not be released into the environment. This product contains the following substance which may also be hazardous for the environment:. Ethyl alcohol (CAS#: 64-17-5): Toxicity to fish: LC50 14200 mg/L, 96 hrs; Toxicity to other aquatic invertebrates: 9300 mg/L, 48 hrs;

Toxicity to algae: not available. Distillates, petroleum, hydrotreated light (CAS#: 64742-47-8): Toxicity to fish: LC50 > 45 mg/L, 96 hrs; Toxicity to other aquatic

CODE: P3-090424

invertebrates: EC50 Not available; Toxicity to algae: EC50 Not available. The product itself has not been tested.

Persistence and degradability Bioaccumulation Potential..... The product itself has not been tested. Mobility in Soil.... The product itself has not been tested. Other Adverse Effects..... None Known.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods................ Dispose in accordance with local, provincial and federal regulations.

SECTION 14: TRANSPORT INFORMATION

UN1950, AEROSOLS, Class 2.2, Ltd. qty.
UN1950, AEROSOLS, Class 2.2, Ltd. qty., Consumer Commodity, ORM-D.
UN1950, AEROSOLS, Class 2.2, Ltd. qty.
UN1950, AEROSOLS, Class 2.2, Ltd. qty. TDG (Canada- Road).....DOT (US-Road).... IMDG (International- Marine)..... IATA (International- Air).....

SECTION 15: REGULATORY INFORMATION

Refer to Section 2 for a WHMIS 2015 Classification for this product. Regulated by the Pest Canada Regulations:.... Control Product Act.

SECTION 16: OTHER INFORMATION

This product has been classified in accordance with the hazard criteria of the CPR and the Disclaimer..... SDS contains all the information required by the CPR. The information contained herein is based on data considered accurate. No guarantee or warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. The SDS provider assumes no responsibility for personal injury or property damage to vendors or users or third parties, caused by the material. Such vendors or users assume all risks with the use of the material.

ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV:

Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous Materials Information System STOT: Specific Target Organ Toxicity.

NFPA Storage Level..... Level 1

Abbreviations.....

The VOC content listed in section 9 is as per the interpretation that there is no CARB or Note.....

ECCC category for this product format - therefore, there is no limit to meet.

Regulatory Affairs Prepared by

Latest Revision 2025-01-22

