

Novella Brands Inc.
120 Midair Court
Brampton, Ontario, L6T 5V1
Canada
905-790-0636

PRODUCT: Kombat 12 Hour Mosquito Repellent Deet Free Pump Spray 150ml (PCP 32169)

CODE: P3-090432

SECTION 01: IDENTIFICATION

Product Identity..... Kombat 12 Hour Mosquito Repellent Deet Free Pump Spray 150ml (PCP 32169)
Product Item Numbers..... P3-090432
Manufacturer..... Empack Spraytech Inc.
98 Walker Drive
Brampton
Ontario
Canada
L6T 4H6
905-792-6571
24 hour emergency telephone number.... In Canada: Call CANUTEC (613) 996-6666 - In The United States: Call CHEMTREC (800) 424-9300.
Recommended Use..... Insect Repellent.

SECTION 02: HAZARD IDENTIFICATION



Label Elements:
Signal Word..... WARNING.
Hazard Classification:
Physical Hazards..... Flammable Liquids - Category 3.
Health Hazards..... Skin Irritation - Category 2. Eye Irritation - Category 2B. Specific Target Organ Toxicity, Single Exposure - Category 3.
Hazard Statement..... H226:Flammable liquid and vapour. H315:Causes skin irritation. H320:Causes eye irritation. H335:May cause respiratory irritation.
Environmental Hazards..... Not Classified.
Precautionary Statements:
Prevention..... P210:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280:Wear protective gloves/ protective clothing/ eye protection/ face protection. P233:Keep container tightly closed. P240:Ground and bond container and receiving equipment. P242:Use non-sparking tools. P243:Take action to prevent static discharges. P241:Use explosion-proof electrical/ventilating/lighting equipment. P264:Wash hand thoroughly after handling. P280:Wear protective gloves. P261:Avoid breathing dust/fume/gas/mist/vapours/spray. P271:Use only outdoors or in a well-ventilated area.
Response..... P303+P361+P353:IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water. P370+P378:In case of fire: Use CO2, dry chemicals or foam to extinguish. P332+P317:If skin irritation occurs: Get medical help. P362+P364:Take off contaminated clothing and wash it before reuse. P321:For specific treatment see section 4 on this SDS. P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P317:If eye irritation persists: Get medical help. P304+P340:IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312:Call a POISON CENTER if you feel unwell.
Storage..... P403+P235:Store in a well ventilated place. Keep cool. P233:Keep container tightly closed. P405: Store locked up.
Disposal..... P501:Dispose of contents/container in accordance with local, regional, national, and/or international regulations.
Hazard(s) not otherwise classified (HNOC) Use only as directed. KEEP OUT OF REACH OF CHILDREN.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
Ethyl alcohol	64-17-5	10-30
ICaridin (1-Piperidinecarboxylic acid, 2-(2-hydroxyethyl)-, 1-methylpropylester)	119515-38-7	20

PRODUCT: Kombat 12 Hour Mosquito Repellent Deet Free Pump Spray 150ml (PCP 32169)

CODE: P3-090432

SECTION 04: FIRST-AID MEASURES

Inhalation.....	No specific effects have been reported. Supply fresh air if any irritations persists.
Eye Contact.....	Check for and remove contact lenses. Immediately flush eyes with water for a minimum of 15 minutes keeping eyelids open. Consult a doctor if any irritation occurs. Get medical attention if irritation persists.
Skin Contact.....	Remove contaminated clothing. Launder clothing before reuse. Wash thoroughly with soap and lukewarm water.
Ingestion.....	Not likely to be ingested. If occurs, do not give anything by mouth to an unconscious person. Do not induce vomiting, get medical attention. Obtain medical advice.
Most important symptoms/effects, acute .. and delayed	Direct eye contact may cause temporary eye irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 05: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media.....	Dry chemical powder. Carbon dioxide. Foam, water spray or fog.
Unsuitable Extinguishing Media.....	None in particular.
Specific Hazards Arising from the Chemical	In case of fire, the following can be released: Carbon Oxides (CO, CO ₂), Other unidentified Organic Compounds.
Special Protective Equipment and Precautions for Firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with water to prevent vapor pressure build up. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Remove undamaged containers from immediate hazard area if it is safe to do.
General Fire Hazards.....	Flammable.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures Methods and Materials for Containment .. and Cleaning Up	Ensure adequate ventilation; avoid formation of dust. Wear protective equipment and keep unprotected persons away. Use respiratory protection against the effects of dust. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13). Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.
Environmental Precautions.....	Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling.....	Wash thoroughly after handling . Avoid contact with eyes. Avoid breathing vapours or spray mists of this product. Use with adequate ventilation. Keep away from heat, sparks, and open flames.
Conditions for Safe Storage including any Incompatibilities	Store in a cool, dry, well-ventilated area away from incompatible substances. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Store away from incompatible materials (see Section 10). Store a temperature between 5°C (41°F) and 50°C(122°F).

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL NIOSH
Ethyl alcohol	1000 ppm	1000 ppm	1000 ppm	Not available	1000 ppm
ICaridin (1-Piperidinecarboxylic acid, 2-(2-hydroxyethyl)-, 1-methylpropylester)	Not available	Not available	Not available	Not available	Not available
Appropriate Engineering Controls.....	Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved. Ground all equipment and cylinders before use.				
Individual Protection Measures:					
Eye/Face Protection.....	Prevent eye contact, wear safety glasses in the event that eye contact is possible.				
Skin Protection.....	Not normally required.				
Respiratory Protection.....	Not required on a short-term basis or if exhaust ventilation is provided. Use approved NIOSH respirators for emergencies.				
Thermal Hazards.....	None Known.				

PRODUCT: Kombat 12 Hour Mosquito Repellent Deet Free Pump Spray 150ml (PCP 32169)

CODE: P3-090432

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

General Hygiene Considerations..... When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment prior to use.

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical State..... Liquid.
 Physical Appearance..... Clear mist.
 Odour..... No odour.
 Odour Threshold (ppm)..... Not available.
 Boiling Point (°C)..... 78.5. (Ethanol).
 Melting/Freezing Point (°C)..... -115. (Ethanol).
 Evaporation Rate (n-Butyl Acetate = 1)..... Not available.
 pH..... 7.0-9.0.
 Solubility in water..... Soluble in water.
 Vapour Pressure (psig)..... 90-110.
 Specific Gravity 0.960-1.000 @25C.
 Auto Ignition Temperature (liquid), °C..... 370. (Ethanol).
 Flash Point (°C), Method..... 13. Tag Closed Cup. (ASTM D-56). (Ethanol).
 Flashback..... No.
 Lower Flammable Limit (% Vol)..... 3.3 . (100% Ethanol).
 Upper Flammable Limit (% Vol)..... 19. (100% Ethanol).
 VOC Content..... No data.
 Viscosity..... 1.35 cp @ 20°C. (Ethanol).

SECTION 10: STABILITY AND REACTIVITY

Reactivity Product not reactive under normal conditions of use.
 Chemical Stability..... Stable at normal temperatures and pressures.
 Possibility of Hazardous Reactions..... Will not occur.
 Conditions to Avoid..... Avoid sources of heat and flame, and electrostatic charge.
 Incompatible Materials..... Avoid contacting with oxidizers.
 Hazardous Decomposition Products..... Thermal decomposition and burning may produce carbon monoxide and carbon dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Ethyl alcohol	31,623 ppm (Rat - 4 hrs)	7,060 mg/kg (Oral - Rat); 20,000 mg/kg (Dermal - Rabbit)
ICaridin (1-Piperidinecarboxylic acid, 2-(2-hydroxyethyl)-, 1-methylpropylester)	>4.364 mg/L (Rat - 4hrs)	2,236 mg/kg (Oral - Rat); >2,000 mg/kg (Dermal - Rat)
Information on Likely Routes of Exposure: Routes of entry - Inhalation..... Yes. Routes of entry - Skin & Eye..... Yes. Routes of entry - Ingestion..... No. Routes of entry - Skin Absorption..... No. Symptoms Related to the Physical, Irritant effects. Chemical and Toxicological Characteristics Acute Toxicity..... No known significant effects. Skin Corrosion/Irritation..... Causes mild skin irritation. Prolonged contact may be more irritating. Serious Eye Damage/Eye Irritation..... Direct contact with eyes causes temporary irritation. Respiratory or Skin Sensitization..... Inhalation may cause respiratory tract irritation. May cause skin sensitization. Germ Cell Mutagenicity..... No information is available, and no adverse effects are expected. Carcinogenicity..... Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP. Reproductive Toxicity..... Contains no ingredient listed as toxic to reproduction. STOT - Single Exposure..... Specific target organ toxicity single exposure Category 3. May cause respiratory irritation. STOT - Repeated Exposure..... Not classified. Aspiration Hazard..... No data available . Chronic Effects..... No long term chronic effects are known or anticipated.		

SECTION 12: ECOLOGICAL INFORMATION

**PRODUCT: Kombat 12 Hour Mosquito Repellent Deet Free Pump Spray 150ml
(PCP 32169)**

CODE: P3-090432

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity..... May be dangerous for the environment. No data is available on the product itself. Should not be released into the environment. This product contains the following substance which may also be hazardous for the environment: Ethyl alcohol (CAS#: 64-17-5): Toxicity to fish: LC50 14200 mg/L, 96 hrs; Toxicity to other aquatic invertebrates: 9300 mg/L, 48 hrs; Toxicity to algae: not available.

Persistence and degradability The product itself has not been tested.

Bioaccumulation Potential..... The product itself has not been tested.

Mobility in Soil..... The product itself has not been tested.

Other Adverse Effects..... None Known.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

SECTION 14: TRANSPORT INFORMATION

TDG (Canada- Road)..... UN 1993, FLAMMABLE LIQUID, n.o.s. (ETHANOL), Class 3, PG II .

DOT (US-Road)..... UN 1993, FLAMMABLE LIQUID, n.o.s. (ETHANOL), Class 3, PG II, LTD QTY, Consumer Commodity, ORM-D.

IMDG (International- Marine)..... UN 1993, FLAMMABLE LIQUID, n.o.s. (ETHANOL), Class 3, PG II.

IATA (International- Air)..... UN 1993, FLAMMABLE LIQUID, n.o.s. (ETHANOL), Class 3, PG II, LTD.QTY.

SECTION 15: REGULATORY INFORMATION

Canada Regulations:..... WHMIS Classification. B2: Flammable liquid.

US Regulations:..... OSHA (29CFR 1910.1200). National Inventory TSCA : Cosmetic products are not regulated under TSCA.

California Proposition 65..... This product does not contain any chemical(s) known to the state of California to cause cancer or reproductivity toxicity.

SECTION 16: OTHER INFORMATION

Disclaimer..... This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR. The information contained herein is based on data considered accurate. No guarantee or warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. The SDS provider assumes no responsibility for personal injury or property damage to vendors or users or third parties, caused by the material. Such vendors or users assume all risks with the use of the material.

Abbreviations..... ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous Materials Information System STOT: Specific Target Organ Toxicity.

Prepared by Regulatory Affairs

Latest Revision 2025-06-04