

Empack Spraytech Inc. 98 Walker Drive Brampton, Ontario, L6T 4H6 Canada 905-792-6571

PRODUCT: Emzone Ultimate Shine - 400 g CODE: P6-044019

SECTION 01: IDENTIFICATION

Empack Spraytech Inc. Manufacturer..... Product Item Numbers..... P6-044019

Product Identity......24 hour emergency telephone number..... Emzone Ultimate Shine - 400 g CANUTEC: 1-613-996-6666.

Recommended Use..... Ultimate shine.

SECTION 02: HAZARD IDENTIFICATION



Label Elements: Signal Word..... WARNING. Hazard Classification: Aerosols - Category 3. Gases Under Pressure - Compressed gas. Physical Hazards..... Eye Irritation - Category 2A. Health Hazards..... Environmental Hazards..... Not Classified. H229:Pressurised container: May burst if heated (3). H280:Contains gas under pressure; Hazard Statement..... may explode if heated (C). H319:Causes serious eye irritation. Precautionary Statements: P210:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251:Do not pierce or burn, even after use. P264+P265: Wash hands Prevention..... thoroughly after handling. Do not touch eyes. P280:Wear eye protection/face protection. P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove Response..... contact lenses, if present and easy to do. Continue rinsing. P337+P317:If eye irritation persists: Get medical help. Storage..... P410+P412:Protect from sunlight. Do not expose to temperatures exceeding 50°C /122°F. P403:Store in a well ventilated place.

None

Hazard(s) not otherwise classified (HNOC) None Known.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS				
CHEMICAL NAME AND SYNONYMS	CAS#	WT. %		
Ethyl alcohol	64-17-5	7-13		
Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me, methoxy-terminated	102782-92-3	1-5		
Nitrogen	7727-37-9	0.1-1		
Phenoxyethanol	122-99-6	0.1-1		

SECTION 04: FIRST-AID MEASURES

If inhaled, remove to fresh air. If not breathing, give artificial respiration and obtain Inhalation..... immediate medical assistance. If breathing is difficult, give oxygen and get medical attention. Do not give adrenaline, epinephrine or similar drugs following exposure to this product. The product is not expected to be skin irritant. However, if irritation persists, wash the Skin Contact..... contact skin area with soap and water. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if irritation persists. Eye Contact..... Do not induce vomiting, get medical attention. Rinse mouth. Obtain medical advice. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Direct contact with eyes may cause temporary irritation. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. May cause redness and pain. Most important symptoms/effects, acute .. and delayed Provide general supportive measures and treat symptomatically. In case of shortness of Indication of immediate medical attention breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed. and special treatment needed



PRODUCT: Emzone Ultimate Shine - 400 g

SECTION 05: FIRE-FIGHTING MEASURES

Special Protective Equipment and Precautions for Firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with water to prevent vapor pressure build up. For massive fire in cargo area, use

CODE: P6-044019

unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Specific Hazards Arising from the Chemical Contents under pressure. Pressurized container may explode when exposed to heat or

Suitable Extinguishing Media..... Unsuitable Extinguishing Media..... General Fire Hažards......

Dry chemical powder. Carbon dioxide. Foam, water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.

Non-flammable aérosol.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective **Equipment and Emergency Procedures**

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid walking through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 08).

Methods and Materials for Containment .. and Cleaning Up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13). Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Environmental Precautions.....

Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent

environmental contamination.

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling.....

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Avoid contact with eyes, skin, and clothing. Avoid breathing vapour of this product. Avoid

Conditions for Safe Storage including any Incompatibilities

prolonged exposure. Use in well-ventilated areas.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C (122°F). Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store away from incompatible materials (see Section 10)

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	CGIH TLV STEL	OSH PEL	A PEL STEL	NIOSH REL	
Ethyl alcohol	1000 ppm	1000 ppm	1000 ppm	Not available	1000 ppm	
Nitrogen	Not available	Not available	Not available	Not available	Not available	
Phenoxyethanol	Not available	Not available	Not available	Not available	Not available	
Appropriate Engineering Controls		Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved. Do not get in eyes. Wear safety glasses with side-shields. Chemical resistant gloves are recommended. Avoid contact with the skin. Wear appropriate chemical resistant clothing. Use dust and mist respirator. None Known. When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment prior to use.				

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Form	Aerosol.
Physical Appearance	Foam.
Odor	Fragrance.
Odor Threshold (ppm)	Not available.
Specific Gravity (Liquid)	0.980-1.000.
Specific Gravity (Aerosol)	
Vapour Pressure (psig)	Not available.
Vapour Density (Air=1)	Not available.
nH ,	

PRODUCT: Emzone Ultimate Shine - 400 g

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Not available. Not available.

13. Tag closed cup (ASTM D56). (Ethanol). Not available.

Solubility in water..... Soluble. VOC Content..... NMT 10. Aerosol Flame Projection..... Flashback......

Auto Ignition Temperature (°C)..... 370°C (698°F). (Ethanol).

Lower Flammable Limit (% Vol)..... Upper Flammable Limit (% Vol)..... 3.3 . (Ethanol). 19. (Ethanol).

NMT = Not More Than. Note.....

SECTION 10: STABILITY AND REACTIVITY

Product not reactive under normal conditions of use.

Material is stable under normal conditions.

Possibility of Hazardous Reactions..... Will not occur.

Conditions to Avoid..... Avoid sources of heat and flame, and electrostatic charge.

Incompatible Materials..... Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products...... Carbon Oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS LC50 LD50

7,060 mg/kg (Oral - Rat); 20,000 mg/kg (Dermal - Rabbit) Ethyl alcohol 31,623 ppm (Rat - 4 hrs)

CODE: P6-044019

Not available Nitrogen Not available

14,000 - 40,000 mg/kg (Oral - Rat) No data Phenoxyethanol

Information on Likely Routes of Exposure: Routes of entry - Inhalation..... No. Yes. Yes. Routes of entry - Skin Absorption.....

Symptoms Related to the Physical, Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred Chemical and Toxicological Characteristics vision. Defatting of the skin. Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting.

Acute Toxicity..... No known significant effects. Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation..... Serious Eye Damage/Eye Irritation..... Causes serious eye irritation.

Respiratory or Skin Sensitization..... Not classified.

No information is available, and no adverse effects are expected. Germ Cell Mutagenicity..... Carcinogenicity..... Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP. Reproductive Toxicity..... No information is available, and no adverse effects are expected.

STOT - Single Exposure......STOT - Repeated Exposure..... Not classified. Not classified.

Aspiration Hazard..... Not classified.

Chronic Effects..... No long term chronic effects are known or anticipated.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity..... May be dangerous for the environment. No data is available on the product itself. Should not be released into the environment. This product contains the following substance which

may also be hazardous for the environment:. Ethyl alcohol (CAS#: 64-17-5): Toxicity to fish: LC50 14200 mg/L, 96 hrs; Toxicity to other aquatic invertebrates: 9300 mg/L, 48 hrs; Toxicity to algae: not available. The product itself has not been tested.

Persistence and degradability Bioaccumulation Potential..... The product itself has not been tested. The product itself has not been tested. Mobility in Soil.

Other Adverse Effects..... Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods................ Dispose in accordance with local, provincial and federal regulations.



CODE: P6-044019

PRODUCT: Emzone Ultimate Shine - 400 g

SECTION 14: TRANSPORT INFORMATION

TDG (Canada- Road)	UN1950, AEROSOLS, Class 2.2, Ltd. qty.
	UN1950, AEROSOLS, Class 2.2, Ltd. qty., Consumer Commodity, ORM-D.
IMDG (International- Marine)	UN1950, AEROSOLS, Class 2.2, Ltd. qty.
IΔTΔ (International- Δir)	LIN1950 AFROSOLS Class 2.2 Ltd. dtv

SECTION 15: REGULATORY INFORMATION

Canada Regulations:...... Refer to Section 2 for a WHMIS 2015 Classification for this product. US Regulations

SECTION 16: OTHER INFORMATION

The information contained herein is based on data considered accurate. No guarantee or Disclaimer..... warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. The SDS provider assumes no responsibility for personal injury or property damage to vendors or users or third parties, caused by the material. Such vendors or users assume all risks with the use of the material. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR. Abbreviations..... ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous Materials Information System STOT: Specific Target Organ Toxicity. NFPA Storage Level..... Prepared by

Regulatory Affairs 2024-04-18 Latest Revision